

Scan only

HP ScanJet Pro 3000 s3 Sheet-feed Scanner



Manage projects and workflows quickly and confidently. Easily handle mixed media, and get one-pass duplex scanning with speeds up to 35 ppm/70 ipm.¹ Scan to mobile devices for on-the-go control.² Recommended for 3,500 pages per day.



Fast scanning. Superb results. Every page.

- Produce scans at up to 35 ppm/70 ipm¹ with two-sided scanning that captures both sides at once.
- Capture every page easily—even stacks of mixed media—with HP EveryPage and an ultrasonic sensor.³
- Free up space for work. This HP ScanJet Pro is small and slim—a modern design perfect for the desktop.
- Handle paper from 11 lb. (40 gsm) to 110 lb. (413 gsm) weight and up to 8.5 x 122 inches (21.6 x 309.9 cm).



Optimize workflows with one-touch scanning

- Streamline routine work with one-touch scanning—create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.



Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Scan directly to mobile devices with the HP JetAdvantage Capture App, and then edit and save files.²
- Capture and organize documents, business cards, and other file types with feature-rich software.

¹ Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

² Scanning from a mobile device requires the HP Wireless Adapter 100 (L2761A), which must be purchased separately, and the HP JetAdvantage Capture App. The app is available for mobile devices running Android™ version 4.0 and higher, and can be downloaded from the Google Play™ store. For more information, see <http://www.hp.com/go/documentmanagement>. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. Wi-Fi Direct® scanning requires the mobile device to be connected directly to the Wi-Fi® network of the scanner. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance®.

³ HP EveryPage is referred to as HP Precision Feed on HP ScanJet devices introduced prior to May 2013.

Technical specifications

Scan Technology	CMOS CIS
Scan Type	Sheetfed; Color Scanning: Yes
Scan speed ADF (letter)	Up to 35 ppm/70 ipm
Task speed	10 x 15 cm (4 x 6 in) color photo to file (200 dpi, 24-bit, tiff): about 6.27 sec for single image scan; OCR A4 (8.27 x 11.69 in) 200dpi, 24-bit to RTF; about 7.45 sec for single image scan, 10 x 15 cm (4 x 6 in) color photo to e-mail (150 dpi, 24-bit); about 5.95 sec for single image scan; about 1.08 sec for single image send to email. Totally 7.03 sec; A4 (8.27 x 11.69 in) PDF to e-mail (300 dpi, 24-bit); about 7.36 sec for single image scan; about 1.7 sec for single image send to email. Totally 9.06 sec
Scan Resolution	Hardware: Up to 600 dpi (color and mono, Sheet-feed) Optical: Up to 600 dpi (color and mono, Sheet-feed)
Scan File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (.rtf) and Searchable PDF
Scan Input Modes	One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA
Scanner Advanced Features	Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting
ENERGY STAR Qualified	Yes
Output Resolution Dpi Settings	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
Bit depth / Grayscale levels	24-bits external 48-bits internal; Grayscale Levels: 256
Scan Size	ADF: 216 x 3100 mm
Media Types	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Previously stapled media with staple removed
Media Size, ADF	U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in)
Media weight (ADF)	40 to 413 g/m ²
Auto document feeder capacity	50 sheets of 75 g/m ² paper
Duty Cycle (Daily)	Recommended for 3,500 pages
Standard connectivity	USB 2.0 and USB 3.0 (SuperSpeed)
Memory	512 MB
Processor Speed	550 MHz
Control Panel	Scan button, Cancel button, Power button with a LED and a LED for Error indication.
Image Scaling or Enlargement Range	Will not perform any arbitrary scaling
Twain Version	TWAIN version 2.1
Software Included	HP WIA scan driver, HP TWAIN scan driver; HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), I.R.I.S. Readiris, I.R.I.S. Cardiris (Win only), EMC ISIS (Win only)
Compatible Operating Systems	OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit
Minimum System Requirements	PC: Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer; Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8; Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8 Mac: Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Operating environment	Operating Humidity Range: 15 to 80% RH (non-condensing) Non-operating Humidity Range: 0 to 90% RH (non-condensing) Recommended Humidity Operating Range: 15 to 80% RH (non-condensing) Operating Temperature Range: 10 to 35 °C Storage Temperature Range: -40 to 60 °C Recommended Operating Temperature Range: 10 to 35 °C
Power	Power Supply Type: External Power Adapter Power Consumption: 4.2 watts (ready), 0.7 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) Power Requirements: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use
Dimensions (W x D x H)	310 x 198 x 190 mm
Weight	3.4 kg
What's in the box	HP ScanJet Pro 3000 s3 Sheet-feed Scanner engine; Installation guide; Support flyer; Warranty guide; 2CDs; Power cord; USB cable; Power Adapter
Warranty	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
Electromagnetic emission standard	Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2014/30/EU, EN 55022:2010 (CE mark); China GB9254-2008 (CCC); Taiwan CNS13438:2006 (BSMI); USA CFR47 Part 15, Subpart B (FCC); ICES-003:2012 Issue 6 (Canada); Australia C-tick (includes New Zealand); KN 22 and Korea KCC; EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010
Safety Approvals and Requirements	IEC 60950-1:2005 +A1+A11+A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12+A2; EAC safety; Canada cUL CoC; China CCC; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Taiwan BSMI; Ukraine safety approval
Accessories	HP ScanJet Pro 3000 s3 roller replacement kit L2754A

¹ With input and output trays folded and covers closed

² Power requirements are based on the country/region where the scanner is sold. Do not convert operating voltages. This will damage the scanner and void the product warranty.

³ Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.

Ordering Information

Number	Description
L2753A	HP ScanJet Pro 3000 s3 Sheet-feed Scanner

HP Care Packs

Number	Description
U9JR1E	HP 3 year Exchange Hardware Support for ScanJet Pro 3xxx
U9JR3E	HP 3 year Return to Depot Hardware Support for ScanJet Pro 3xxx

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



To learn more, visit hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

